

Product Safety Information

Zest-it® Pencil Blend Citrus Free



contains

Zest-it® and the Logo are registered Trade Marks of J and T Blackman Ltd

Aliphatic Hydrocarbon:
(Proprietary Blend of Hydrocarbon)

Oct 2022 ZPBCF1
Two Pages

Hazard Identification	Aspiration: If product is swallowed and the person vomits and the vomited liquid aspirated into lungs may cause bronchopneumonia.		
Flammability	Non-flammable (Flash Point 72°C)	nmable (Flash Point 72°C) Vapour Density	
WEL	LTExp. (8 hours)	1200 mg/m³	

	Fire Fighting	Precaution
Extinguishing Media	Soil; Sand. CO ² ;	Do Not use water jet as tends to spread the fire.
Unusual Fire Hazard	May produce dense black smoke.	Vapours are heavier than air and may travel along the ground to nearby sources of ignition.
Specific Hazard	Avoid breathing the smoke.	Burning product will liberate carbon dioxide (CO ²) and possibly carbon monoxide (CO).

	First Aid	Medical action	
Inhalation	Supply fresh air	In case of complaint consult a doctor	
Ingestion	Rinse mouth; drink water or milk; DO NOT induce vomiting;	If vomiting occurs keep head low; get immediate medical attention.	
Skin	Remove wet or soaked clothing or shoes.	Wash the skin with soap and water.	
Eyes	Splashes may cause redness. Flush eyes with plenty of water.	Continue to rinse for up to 15 minutes. If irritation occurs seek medical attention.	

Exposure	Personal Protection	Precaution	
Ventilation	Natural ventilation will suffice in most instances.	Do not inhale mists or aerosols	
Respiration	None required in normal use.	Do not spraying.	
Eye	None required in normal use.	Safety glasses if splashing probable.	
Skin	None required in normal use.	Nitrile gloves for 'wet-work' or sensitive individual.	
Hygiene	Keep away from foodstuffs and beverages	No water bottles in area	

Spillage	Action	Precaution
50 ml to 1 Litre	Contain and absorb with towel, dry sand or soil but not sawdust.	Ventilate area. Do not allow to enter sewers or water courses.
5 Litre to 25 Litre	Dike with dry sand or soil. Recover usable content.	Ventilate area. Do not allow to enter sewers or water courses.

Handling and Storage	Do not use near sources of ignition	Store in Original container in cool place.
Ecology	Biodegradable	Liquid will evaporate readily.
Disposal	Original liquid according to local regulations	Used or contaminated product: according to the contaminate.
Transport	Road; Sea; Air;	Can travel; depending on Carrier.

Physical and Chemical properties				
Boiling Point 190-280°C Viscosity 1.97 mPas				
pH value	Insoluble			
Appearance Clear Liquid Odour Hydrocarbon				
VOC Low VOC Colour Colourless				

Health Effects via route of entry				
Ingestion	Non-toxic. If ingested Aspiration hazard. Skin Non-irritant. Can cause skin dryness.			
Inhalation	Not relevant at room temperatures.	Eye	Non-irritant.	
			This substance has no evidence of toxicity to reproduction or the unborn.	

Classification and labelling			
May be harmful if swallowed an Repeated exposure may cause si	Warning		
If swallowed Do Not induce vomiting. Get immediate medical attention. Wash hands throughly after handling. Keep out of reach of children.			
Contains Hydrocarbons and Citrus Oils			

Regulatory Information	
CHIP; CHIPS; CLSDS; RRHSSWA; WEL; EULR; REACH	Pertaining to Substance

Legal Disclaimer. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information contained in this document is furnished without warranty, guarantee or representation of any kind to its accuracy, reliability or completeness. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. J and T Blackman Ltd t/a Zest-it shall not be held liable for any damage resulting from handling or from contact with the above product.

J and T Blackman Ltd t/a Zest-it, Swannington Road, Broughton Astley. LE9 6TU Tel: 01162341001; Email: msds@zest-it.com Website: www.zest-it.com Trade site: www.zest-it.biz Wax site: www.artywax.co.uk